	•	_
	Application No.	Applicant(s)
	10/725,030	KIM ET AL.
Notice of Allowability	Examiner	Art Unit
	David Y. Chung	2871
The MAILING DATE of this communication appearance of the Communication appearance of the Communication appearance of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to or other appropriate communi IGHTS. This application is sui	his application. If not included ication will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>response to election</u> of	of species requirement, filed 2	<u> 9 December 2006</u> .
2. The allowed claim(s) is/are 2,6-10 and 36.		
3. Acknowledgment is made of a claim for foreign priority ura) All b) Some* c) None of the:	•	(f).
 Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 🗍 Notice of Info	rmal Patent Application
Notice of Praftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sur	
Information Disclosure Statements (PTO/SB/08),	Paper No./M	lail Date mendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		statement of Reasons for Allowance
of Biological Material	9. ☐ Other	
M.	_ · · ·	
David Nelms		•
Supervisory Patent Examinal Technology Center 2800	r	

Application/Control Number: 10/725,030 Page 2

Art Unit: 2871

EXAMINER'S AMENDMENT

This application is in condition for allowance except for the presence of claims 3-5, 12-35, 37 and 38 directed to inventions non-elected without traverse. Accordingly, claims 3-5, 12-35, 37 and 38 been cancelled.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: none of the

Page 3

prior art of record taught or suggested the bump shaped groove which comprises a first

portion which is as wide as the width of the gate bus line and a second portion which is

narrower than the width of the gate bus line, as recited in claims 2 and 36.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to David Y. Chung whose telephone number is (571) 272-

2288. The examiner can normally be reached Monday thru Friday from 8:30 am to 5:00

pm. If successive attempts to contact the examiner are unsuccessful, the examiner's

supervisor David C. Nelms can be reached at (571) 272-1787.

David Nelms

Supervisory Patent Examiner

Technology Center 2800

David Y. Chung GAU 2871 01/22/07